



Available online at [www.sciencedirect.com](http://www.sciencedirect.com)



ENVIRONMENTAL  
POLLUTION

Environmental Pollution 139 (2006) 157–166

[www.elsevier.com/locate/envpol](http://www.elsevier.com/locate/envpol)

## Treatment of log yard run-off by irrigation of grass and willows

Maria Jonsson <sup>a,\*</sup>, Ioannis Dimitriou <sup>b</sup>, Pär Aronsson <sup>b</sup>, Torbjörn Elowson <sup>a</sup>

<sup>a</sup> Department of Forest Products and Markets, Swedish University of Agricultural Sciences, P.O. Box 7060, SE 750 07 Uppsala, Sweden

<sup>b</sup> Department of Short Rotation Forestry, Swedish University of Agricultural Sciences, P.O. Box 7016, SE 750 07 Uppsala, Sweden

Received 28 May 2004; accepted 23 April 2005

*By irrigating willow and couchgrass soil-plant systems with log yard run-off water, TOC, phenols, and phosphorus were reduced with 35% to 96% in the water.*

(b)(4) copyright

(b)(4) copyright

(b)(4) copyright



(b)(4) copyright

(b)(4) copyright

(b)(4) copyright



(b)(4) copyright

(b)(4) copyright

(b)(4) copyright

(b)(4) copyright

